

Bibliography

- Albery, L., & Enderby, P. (1984). Intensive speech therapy for cleft palate children. *British Journal of Disorders of Communication*, 19(2), 115-124.
- American Cleft Palate-Craniofacial Association (ACPA). (2007a). *Core curriculum for cleft palate and other craniofacial anomalies*. Retrieved December 24, 2009, from www.acpa-cpf.org/educMeetings/CoreCur/index.html
- American Cleft Palate-Craniofacial Association (ACPA). (2007b). *Parameters for evaluation and treatment of patients with cleft lip/palate or other craniofacial anomalies*. Retrieved December 24, 2009, from www.acpa-cpf.org/teamcare/Parameters07rev.pdf
- American Speech-Language-Hearing Association (ASHA). (2004). *Evidence-based practice in communication disorders: An introduction*. Retrieved December 7, 2009, from www.asha.org
- ASHA Special Interest Division 5: Speech Science and Orofacial Anomalies Education Committee. (2006, March). *Cleft palate and/or velopharyngeal dysfunction: Assessment and treatment*. Presented at the Michigan Speech Language Hearing Association annual conference, Ann Arbor, MI.
- Bauman-Wangler, J. (1994). Normal phonological development. In R.J. Lowe (Ed.), *Phonology: Assessment and intervention application in speech pathology* (p. 93). Baltimore: Williams & Wilkins.
- Brown, R. (1973). *A first language: The early stages*. Cambridge, MA: Harvard University Press.
- Bzoch, K. (1979). *Communicative disorders related to cleft lip and palate* (2nd ed.). Boston, MA: Little Brown and Company.
- Chapman, K. (1993). Phonological process usage in children with cleft palate. *Cleft Palate-Craniofacial Journal*, 30(1), 64-73.
- Chapman, K., Hardin-Jones, M., & Halter, K.A. (2003). The relationship between early speech and later speech and language performance for children with cleft lip and palate. *Clinical Linguistics & Phonetics*, 17(3), 173-197.
- Chapman, K., Hardin-Jones, M., Schulte, J., & Halter, K.A. (2001). Vocal development of 9-month-old babies with cleft palate. *Journal of Speech, Language, and Hearing Research*, 44, 1268-1283.
- Dalston, R.M., Warren, D.W., & Dalston, E.T. (1991). Use of nasometry as a diagnostic tool for identifying patients with velopharyngeal impairment. *Cleft Palate-Craniofacial Journal*, 28(2), 184-189.
- D'Antonio, L.L. (1992). Evaluation and management of velopharyngeal dysfunction: A speech pathologist's viewpoint. *Problems in Plastic & Reconstructive Surgery* 2(1), 86-111.
- D'Antonio, L.L., Muntz, H., Province, M., & Marsh, J.L. (1988). Laryngeal/voice findings in patients with velopharyngeal dysfunction. *Laryngoscope*, 98(4), 432-438.
- D'Antonio, L.L., & Scherer, N.J. (2009). Communication disorders associated with cleft palate. In J.E. Losee & R.E. Kirschner (Eds.), *Comprehensive cleft care* (pp. 569-588). New York: McGraw-Hill Medical.
- D'Antonio, L.L., Snyder, L.S., & Samadani, S. (1996). Tonsillectomy in children with or at risk for velopharyngeal insufficiency: Effects on speech. *Otolaryngology—Head and Neck Surgery*, 115(4), 319-323.
- Eliason, M.J., & Richman, L.C. (1990). Language development in preschoolers with cleft. *Developmental Neuropsychology*, 6, 173-182.

- Enlow, D.H., & Han, M.G. (1996). *Essentials of facial growth*. Philadelphia: W.B. Saunders Co.
- Fairbanks, G. (1960). *Voice and articulation drillbook* (2nd ed.). New York: Harper & Row.
- Finkelstein, Y., Bar-Ziv, J., Nachmani, A., Berger, G., & Ophir, D. (1993). Peritonsillar abscess as a cause of transient velopharyngeal insufficiency. *Cleft Palate-Craniofacial Journal*, 30(4), 421-428.
- Fisher, H.R. (2006). *Prolonged nasal cul-de-sac with high-pressure speech acts*. Presented at the annual meeting of the American Cleft Palate and Craniofacial Association, Vancouver, BC.
- Fletcher, S.G. (1972). Contingencies for bioelectronic modification of nasality. *Journal of Speech and Hearing Disorders*, 37, 329-346.
- Fletcher, S.G. (1978). *Diagnosing speech disorders from cleft palate*. New York: Grune and Stratton.
- Flowers, A.M. (1974). *The big book of sounds* (5th ed.). Austin, TX: Pro-Ed, Inc.
- Ford, L.C., Sulprizio, S.L., & Rasgon, B.M. (2000). Otolaryngological manifestations of velocardiofacial syndrome: A retrospective review of 35 patients. *Laryngoscope*, 110(3), 362-367.
- Golding-Kushner, K. (2001). *Therapy techniques for cleft palate speech and related disorders*. San Diego, CA: Singular Publishing.
- Golding-Kushner, K.J. (1995). Treatment of articulation and resonance disorders associated with cleft palate and VPI. In R.J. Shprintzen & J. Bardach (Eds.), *Cleft palate speech management: A multidisciplinary approach* (pp. 327-351). St Louis, MO: Mosby, Inc.
- Golding-Kushner, K.J., Cisneros, G., & LeBlanc, E. (1995). Speech bulbs. In R.J. Shprintzen & J. Bardach (Eds.), *Cleft palate speech management: A multidisciplinary approach* (pp. 352-363). St Louis, MO: Mosby, Inc.
- Grames, L.M. (2009). Speech therapy for the child with cleft palate. In J.E. Losee & R.E. Kirschner (Eds.), *Comprehensive cleft care* (pp. 619-625). New York: McGraw-Hill Medical.
- Haapanen, M.L., Kalland, M., Heliövaara, A., Hukki, J., & Ranta, R. (1997). Velopharyngeal function in cleft patients undergoing maxillary advancement. *Folia Phoniatrica et Logopaedica*, 49(1), 42-47.
- Hardin, M.A. (1991). Cleft palate: Intervention. *Clinics in Communication Disorders*, 1(3), 12-18.
- Hinton, V.A. (2009). Instrumental measures of velopharyngeal function. In J.E. Losee & R.E. Kirschner (Eds.), *Comprehensive cleft care* (pp. 607-617). New York: McGraw-Hill Medical.
- Hoch, L., Golding-Kushner, K., Siegal-Sadewitz, V.L., & Shprintzen, R.J. (1986). Speech therapy. *Seminars in Speech and Language*, 7(3), 313-326.
- Isberg, A., & Henningson, G. (1987). Influence of palatal fistulas on velopharyngeal movement: A cineradiographic study. *Plastic Reconstructive Surgery*, 79(4), 525-530.
- Jackson, D., & Albamonte, S. (1994). Enhancing communication with the Passy-Muir valve. *Pediatric Nursing*, 20(2), 149-153.
- Karnell, M.P. (1995). Nasometric discrimination of hypernasality and turbulent nasal airflow. *The Cleft Palate-Craniofacial Journal*, 32(2), 145-148.
- Kuehn, D.P. (1991). New therapy for treating hypernasal speech using continuous positive airway pressure (CPAP). *Plastic and Reconstructive Surgery*, 88, 959-966.

- Kummer, A.W. (2007). *Cleft palate and craniofacial anomalies: Effects on speech and resonance* (2nd ed.). San Diego, CA: Delmar Cengage Learning.
- Kummer, A.W. (2009). Assessment of velopharyngeal function. In J.E. Losee & R.E. Kirschner (Eds.), *Comprehensive cleft care* (pp. 589-605). New York: McGraw-Hill Medical.
- Kummer, A.W., & Lee, L. (1996). Evaluation and treatment of resonance disorders. *Language, Speech, and Hearing Services in Schools, 27*, 271-281.
- Kummer, A.W., Strife, J.L., Grau, W.H., Creaghead, N.A., & Lee, L. (1989). The effects of le Fort I osteotomy with maxillary movement on articulation, resonance, and velopharyngeal function. *Cleft Palate Journal, 26*(3), 193-200.
- Lass, N.J., & Pannbacker, M. (2008). The application of evidence-based practice to nonspeech oral motor treatment. *Language, Speech, and Hearing Services in Schools, 39*(3), 408-421.
- Locke, J.L. (1983). *Phonological acquisition and change*. New York: Academic Press.
- Losee, J.E., & Kirschner (Eds.). (2009). *Comprehensive cleft care*. New York: McGraw-Hill Medical.
- MacDonald, J. (1985). Language through conversation: A model for intervention with language delayed persons. In S. Warren & A. Rogers-Warren (Eds.), *Teaching functional language* (pp. 89-122). Baltimore: University Park Press.
- Martin, G., & Pear, J. (2007). *Behavior modification: What it is and how to do it* (8th ed.). Upper Saddle River, NJ: Pearson Prentice Hall.
- McWilliams, B.J., Lavorato, A.S., & Bluestone, C.D. (1973). Vocal cord abnormalities in children with velopharyngeal valving problems. *Laryngoscope, 83*(11), 1745-1753.
- McWilliams, B.J., Morris, H.L., & Shelton, R.L. (1990). *Cleft palate speech* (2nd ed.). Toronto: BC Decker.
- Moncour, J.P., & Brackett, I.P. (1974). *Modifying vocal behavior*. New York: Harper & Row.
- Morley, M.E. (1970). *Cleft palate and speech* (7th ed.). Baltimore, MD: William and Wilkins.
- Morris, H.L., Spriestersbach, D.C., & Darley, F.L. (1961). An articulation test for assessing competency of velopharyngeal closure. *Journal of Speech and Hearing Research, 4*, 48-55.
- O'Gara, M.M., & Logemann, J.A. (1988). Phonetic analysis of the speech development of babies with cleft palate. *Cleft Palate Journal, 25*(2), 122-134.
- O'Gara, M.M., & Logemann, J.A. (1990). Early speech development in cleft palate babies. In J. Bardach & H.L. Morris (Eds.), *Multidisciplinary management of cleft lip and palate* (pp. 717-721). Philadelphia, PA: WB Saunders.
- Oller, D.K. (1980). The emergence of the sounds of speech in infancy. In G. Yeni-Komshian, J. Kavanagh, & C.A. Ferguson (Eds.), *Child phonology: Vol. 1: Production*. New York: Academic Press.
- Oyler, R., & McKay, S. (2008, January 22). Unilateral hearing loss in children. *ASHA Leader, 12-15*.
- Pendergast, K. (1972). *Building good speech*. Pittsburg, PA: Stanwix House.
- Peterson-Falzone, S.J., Hardin-Jones, M.A., & Karnell, M.P. (2001). *Cleft palate speech* (3rd ed.). St Louis, MO: Mosby, Inc.

- Peterson-Falzone, S.J., Trost-Cardamone, J.E., Karnell, M.P., & Hardin-Jones, M.A. (2006). *The clinician's guide to treating cleft palate speech*. St. Louis, MO: Mosby, Inc.
- Richman, L., Eliason, M.J., & Lindgren, S.D. (1988). Reading disability in children with clefts. *Cleft Palate Journal*, 25(1), 21-25.
- Richman, L.C. (1980). Cognitive patterns and learning disabilities in cleft palate children with verbal defects. *Journal of Speech and Hearing Research*, 23, 447-456.
- Riski, J.E. (1984). Functional velopharyngeal competence: Diagnosis and management. In H. Winitz (Ed.), *Treating articulation disorders: For clinicians by clinicians* (pp. 224-234). Baltimore, MD: University Park Press.
- Riski, J.E. (1995). Speech assessment of adolescents. *Cleft Palate-Craniofacial Journal*, 32, 109-113.
- Roberts, M. (2001). Research in practice: Practical approaches to conducting functional analysis that all educators can use. *The Behavior Analyst Today*, 3(1), 83-97.
- Ruscello, D. (2003). Treatment of sound system disorders via motor skill learning. Presented at the annual convention of the American-Speech-Language-Hearing Association, Philadelphia, PA.
- Sander, E. (1972). When are speech sounds learned? *Journal of Speech, Language, and Hearing Disorders*, 37, 55-63.
- Scherer, N.J., D'Antonio, L.L., & McGahey, H. (2008). Early intervention for speech impairment in children with cleft palate. *Cleft Palate-Craniofacial Journal*, 45(1), 18-31.
- Scherer, N.J., Williams, A.L., & Proctor-Williams, K. (2008). Early and later vocalization profiles in children with cleft palate. *International Journal of Pediatric Otorhinolaryngology*, 72(6), 827-840.
- Shprintzen, R.J. (1997). *Genetics, syndromes, and communication disorders*. San Diego, CA: Singular Publishing Group.
- Shprintzen, R.J. (2000). *Syndrome identification for speech-language pathologists*. San Diego, CA: Singular Publishing Group.
- Shprintzen, R.J., & Bardach J. (1995). *Cleft palate speech management: A multidisciplinary approach*. St Louis, MO: Mosby, Inc.
- Shprintzen, R.J., Goldberg, R.B., Lewin, M.L., Sidoti, E.J., Berkman, M.D., Argamaso, R., et al. (1978). A new syndrome involving cleft palate, cardiac anomalies, typical facies, and learning disabilities: Velo-cardio-facial syndrome. *Cleft Palate Journal*, 15(1), 56-62.
- Shprintzen, R.J., Sher, A.E., & Croft, C.B. (1987). Hypernasal speech caused by tonsillar hypertrophy. *International Journal of Pediatric Otorhinolaryngology*, 14(1), 45-56.
- Skolnick, M.L. (1982). *Videofluoroscopic evaluation of the speech mechanism*. Study session at the annual meeting of the American Cleft Palate Association, Denver, CO.
- Skolnick, M.L., & Cohn, E.R. (1989). *Videofluoroscopic studies of speech in patients with cleft palate*. New York: Springer-Verlag.
- Stoel-Gammon, C., & Dunn, C. (1985). *Normal and disordered phonology in children*. Baltimore, MD: University Park Press.

- Sulprizio, S.L., Waters, M., & Hines, S. (2006). *A new twist on early speech and oral healthcare in cleft palate children*. Presented at the annual meeting of the American Cleft Palate and Craniofacial Association, Vancouver, BC.
- Taylor-Goh, S. (2005). *Royal college of speech and language therapists clinical guidelines*. United Kingdom: Speechmark.
- Templin, M., & Darley, L.F. (1969). *Templin-Darley tests of articulation* (2nd ed.). Iowa City, IA: Bureau of Educational Research and Service, University of Iowa.
- Therres, M.K. (2008). Professional preparation in cochlear implants. *Advance for Speech-Language Pathologists and Audiologists*, 18(17), 10-12.
- Trost, J.E. (1981). Articulatory additions to the classical description of the speech of persons with cleft palate. *Cleft Palate Journal*, 18(3), 193-203.
- Vallino, L.D., & Tompson, B. (1993). Perceptual characteristics of consonant errors associated with malocclusion. *Journal of Oral and Maxillofacial Surgery*, 51(8), 850-856.
- Warren, D.W., & Dubois, A.B. (1964). A pressure-flow technique for measuring velopharyngeal orifice area during continuous speech. *Cleft Palate Journal*, 1, 52-57.
- Watterson, T., Hinton, J., & McFarlane, S. (1996). Novel stimuli for obtaining nasalance measures from young children. *Cleft Palate-Craniofacial Journal*, 33(1), 67-73.
- Watterson, T., Lewis, K.E., & Deutsch, C. (1998). Nasalance and nasality in low pressure and high pressure speech. *Cleft Palate-Craniofacial Journal*, 35(4), 293-298.
- Witzel, M.A. (1995). Communicative impairment associated with clefting. In R.J. Shprintzen & J. Bardach (Eds.), *Cleft palate speech management: A multidisciplinary approach* (pp. 137-166). St Louis, MO: Mosby, Inc.